

## Elektrotechnika II. BSc 2013/2014 II. Félév

No.		Zh			Pótzh			HF elfog	HF pont	Labor elfoga	Labor pont	JEGY	Hiányosságok	ZH össz.	Labor+HF össz.	Összpontszám	Jegyzőkönyvek														
		elm	gyak	jegy	elm	gyak	jegy										1	2	3	4	5	7									
182	B33D95	5,0	9,0	3				OK	-2,0			1	1 db HF késés, 1 db jegyzőkönyv késés	14,0	Elegtelen	Elegtelen		+	-0,5	+	-2	+	-6,5	+	-2	+	+				
183	D6TE8L	4,5	15,5	5				OK	0,0			1	2 db jegyzőkönyv késés	20,0	Elegtelen	Elegtelen		+	-0,5	+	-2	+	-1	+	-0,5	+	-2	+			
184	Q9DQLQ	5,5	14,0	5				OK	0,0	OK	18,5	4		20,0	18,5	38,5		-1	+	-0,5	+	+	-2	+	+	+	+	+			
185	BJBDQK	5,5	9,5	3				OK	0,0	OK	20,0	4	1 db jegyzőkönyv késés	15,0	20,0	35,0		+		+	-1	+	+	+	+	+	+	+	+		
186	N7FR56	4,0	12,0	3				OK	-0,5	OK	18,0	4		16,0	17,5	33,5		-1	+		+	+	+	2,5	+	+	+	-0,5	+		
187	OATWF7	1,5		1	3,5	11,0	3	OK	-2,0	OK	21,0	4		15,0	19,0	34,0		+		+	+	+	+	-0,5	+	+	+	+	+		
188	CR7Y8K	5,0	10,5	3				OK	-2,0	OK	20,5	4		16,0	18,5	34,5		+	-1	+	+	+	+	+	-0,5	+	+	+	+	+	
189	LHO5WT	5,5	10,5	3				OK	-0,5	OK	19,5	4		16,0	19,0	35,0		+	-0,5	+	+	-2	+	+	+	+	+	+	+	+	
190	N36XBD	6,0	9,5	3				OK	0,0	OK	14,0	3	1 db jegyzőkönyv késés	16,0	14,0	30,0		-2	+	-2	+	-1	+	-2	+	+	+	+	+	+	+
191	NUCIDH			4,5	10,5	3	OK	0,0	OK	19,0	4		15,0	19,0	34,0		+	-1	+	+	-2	+	+	+	-0,5	+	+	+	+		
192	Y3Y8IC	3,0	10,0	2				OK	0,0	OK	20,5	4	1 db jegyzőkönyv késés	13,0	20,5	33,5		+	-1	+	+	0,5	+	+	+	+	+	+	+	+	
193	K8COMT	2,0		1				OK	0,0	OK	19,0	1		Elegtelen	19,0	Elegtelen	Elegtelen		+	-0,5	+	-1	+	-0,5	+	-1	+	+	+	+	
194	QFA7WN	6,0	14,5	5				OK	0,0	OK	18,0	5		21,0	18,0	39,0		+	-0,5	+	-0,5	+	-2	+	+	+	-0,5	+	+	+	
195	BLXUV9	5,5	6,0	2				OK	-2,0	OK	14,5	2	1 db HF késés, 6 db jegyzőkönyv késés	12,0	12,5	24,5		-2	+	-2	+	-2,5	+	+	-1	+	+	-1	+	+	
196	LBSVKA	6,0	15,0	5				OK	0,0	OK	22,0	5		21,0	22,0	43,0		+		+	+	+	+	+	+	+	+	+	+	+	
197	V3IM64	5,5	14,0	5				OK	-0,5	OK	22,0	5		20,0	21,5	41,5		+		+	+	+	+	+	+	+	+	+	+	+	
198	K3IC66	5,0	11,0	3				OK	0,0	OK	19,5	4		16,0	19,5	35,5		+	-0,5	+	+	-2	+	+	+	+	+	+	+	+	
199	JI76YY	4,5	8,0	2				OK	0,0	OK	21,5	4		13,0	21,5	34,5		+		+	-0,5	+	+	+	+	+	+	+	+	+	
200	HPPRWZ	5,0	11,5	4				OK	0,0	OK	19,0	4		17,0	19,0	36,0		+	-0,5	+	-1	+	-0,5	+	-1	+	+	+	+	+	
201	UT9ZAD	5,5	15,0	5				OK	-0,5	OK	19,0	5		21,0	18,5	39,5		+	-0,5	+	-0,5	+	-2	+	+	+	+	+	+	+	